



Club Access Joggers

Name	Club Access Joggers
Style No.	CA002
Description	Joggers made with durability and accessibility in mind to accommodate lower limb amputees.
Division	AM475 - SU2021
Season	SU2021
Year	2021-2022
Size Scale	M -Sample size
	XS S M L XL
AM475 ONLY - Student Name	Colin Humphreys
Factory	To Be Determined
СОО	Vietnam
Main Fabric	Cotton
New/Carryover	New Style
Style Status	In Development
Sample Development Status	1st Sample
MSRP	79.97
Target Cost	24.87
Target Margin (%)	40
MOQ	3000
Leadtime	90 Days
Created by/Author	06-10-2021
	Colin Humphreys
	chumps@rams.colostate.edu

chumps@rams.colostate.edu







 Papyrus J Custom Code: 11-0107 TCX
Jogger Colorway Bcakbone_Colorway A Copy 2_2








 Pirate Black J Custom Code: 19-4305 TCX
Jogger Colorway Bcakbone_Colorway A_0









 Emperador J Custom Code: 18-1028 TCX
Jogger Colorway Bcakbone_Colorway A Copy 1_1









Joggers (copy) (copy) (copy)

Club Access Joggers - Style #CA002 SU2021, 2021-2022, AM475 - SU2021



TI	HUMBNAIL	COMPONENT	QTY	SUPPLIER	CO0	PAPYRUS J CODE: 11-0107 TCX	PIRATE BLACK J CODE: 19-4305 TCX	EMPERADOR J CODE: 18-1028 TCX
		FABRIC / BODY						
	5	French Terry Cotton - Colin CODE: FT001 Placement: All over Notes: N/A Status : In Development Content (Fiber Content): 100% Cotton Fabric Width: 60" Weight (GSM): 285 Finishes: Stain repellant, wrinkle resist, double faced Dye Method: Piece Dyed AM475 - Student Name: Colin Humphreys	1.16 /yd	To Be Determined	China	- Papyrus J Custom Code: 11- 0107 TCX Price: \$3.40	- Pirate Black J Custom Code: 19- 4305 TCX Price: \$3.40	- Emperador J Custom Code: 18- 1028 TCX Price: \$3.40
		Nylon Lightweight Ripstop - Colin CODE: NY001 Placement: sewn under cotton front and back knee Notes: N/A Status : In Development Content (Fiber Content): 100% Nylon Fabric Width: 58" Weight (GSM): 86 Finishes: Silicone coated Dye Method: Piece Dyed AM475 - Student Name: Colin Humphreys	0.283464 /m	To Be Determined	China	- Papyrus J Custom Code: 11- 0107 TCX Price: \$1.72	- Pirate Black J Custom Code: 19- 4305 TCX Price: \$1.72	- Emperador J Custom Code: 18- 1028 TCX Price: \$1.72
		Rib Knit Cuff - Colin CODE: C1 Placement: Waistband and both cuffs at the hem Notes: N/A Status : In Development Content (Fiber Content): 95% Cotton 5% Spandex Weight (GSM): 650 Finishes: N/A Dye Method: Piece Dyed Size: 120 x 16 cm AM475 - Student Name: Colin Humphreys	2 /Pieces	To Be Determined	China	- Papyrus J Custom Code: 11- 0107 TCX Price: \$0.20	- Pirate Black J Custom Code: 19- 4305 TCX Price: \$0.20	- Emperador J Custom Code: 18- 1028 TCX Price: \$0.20
		French Terry Cheaper - Colin CODE: FT2 Placement: All over Notes: N/A Status : In Development Content (Fiber Content): 100% Cotton Fabric Width: 60" Weight (GSM): 230 Finishes: Shrink resist/ anti-microbial Dye Method: Piece Dyed AM475 - Student Name: Colin Humphreys Status - Student Name: Colin	1.16 /yd	To Be Determined	China	- Papyrus J Custom Code: 11- 0107 TCX Price: \$2.30	- Pirate Black J Custom Code: 19- 4305 TCX Price: \$2.30	- Emperador J Custom Code: 18- 1028 TCX Price: \$2.30




	THUMBNAIL	COMPONENT	QTY	SUPPLIER	CO0	PAPYRUS J CODE: 11-0107 TCX	PIRATE BLACK J CODE: 19-4305 TCX	EMPERADOR J CODE: 18-1028 TCX
5		Fty Supply Thread CODE: zoSG08 Placement: all over Notes: N/A Status : In Development Content (Fiber Content): polyester Finishes: N/A Dye Method: Piece Dyed Size: TBD	1 /kg	SML	USA	- DTM Price: \$0.08	- DTM Price: \$0.08	- DTM Price: \$0.08
6		Drawstring - Colin CODE: D1 Placement: Inside of the waistband Notes: N/A Status : In Development Content (Fiber Content): Polyester & Metal Finishes: N/A Dye Method: N/A Size: 6 mm AM475 - Student Name: Colin Humphreys	0.8772 /m	To Be Determined	China	- Papyrus J Custom Code: 11- 0107 TCX Price: \$0.08	- Pirate Black J Custom Code: 19- 4305 TCX Price: \$0.08	- Emperador J Custom Code: 18- 1028 TCX Price: \$0.08
7	Literarys CROCHT ELASTIC BAND (Junary : di consumer)	Elastic - Colin CODE: E1 Placement: Inside of the two cuffs at the bottom of the garment Notes: N/A Status : In Development Content (Fiber Content): Polyester/Cotton Finishes: N/A Dye Method: N/A Size: 0.7 mn AM475 - Student Name: Colin Humphreys	0.3302 /m	To Be Determined	China	- Pirate Black J Custom Code: 19- 4305 TCX Price: \$0.03	- Pirate Black J Custom Code: 19- 4305 TCX Price: \$0.03	- Pirate Black J Custom Code: 19- 4305 TCX Price: \$0.03
8		Morito Block Tape CA CODE: MdIAK Placement: Closure of the outseam opn the inside of the fabric Notes: N/A Status : In Development Content (Fiber Content): Polyester Weight (GSM): 409 Finishes: OKEO-TEX Dye Method: N/A Size: 21 mm AM475 - Student Name: Colin Humphreys	0.88 /yd	To Be Determined	Hong Kong	- Pirate Black J Custom Code: 19- 4305 TCX Price: \$1.95	- Pirate Black J Custom Code: 19- 4305 TCX Price: \$1.95	- Pirate Black J Custom Code: 19- 4305 TCX Price: \$1.95
		LABELS/PACKAGING						
9		Recyclable Mailer Poly Bag - Colin CODE: WTKLz Placement: for post production safe transportation Notes: N/A Status : In Development Content (Fiber Content): Polyethaline Finishes: N/A Dye Method: N/A Size: 28 x 28 cm AM475 - Student Name: Colin Humphreys	1 /Pieces	To Be Determined	China	- Recyclable Mailer Poly Bag - Colin- WTkLz n/a Price: \$0.04	- Recyclable Mailer Poly Bag - Colin- WTkLz n/a Price: \$0.04	- Recyclable Mailer Poly Bag - Colin- WTkLz n/a Price: \$0.04



	THUMBNAIL	COMPONENT	QTY	SUPPLIER	COO	PAPYRUS J CODE: 11-0107 TCX	PIRATE BLACK J CODE: 19-4305 TCX	EMPERADOR J CODE: 18-1028 TCX
10		Recycled Hangtag Colin CODE: HT00 Placement: recycled cardstock hangtag Notes: N/A Status : In Development Content (Fiber Content): Recycled Cardstock Weight (GSM): 150 Finishes: Matte Dye Method: N/A Size: 1.5 x 3 In AM375 - Student Name: Colin Humphreys	1 /Pieces	To Be Determined	China	- Recycled Hangtag Colin- HT00` n/a	- Recycled Hangtag Colin- HT00` n/a	- Recycled Hangtag Colin- HT00` n/a
11		Cardboard Box Eco - Colin CODE: B1 Placement: eco friendly box for shipping Notes: N/A Status : In Development Content (Fiber Content): N/A Finishes: N/A Dye Method: N/A Size: 14 x 12 AM475 - Student Name: Colin Humphreys	1 /Pieces	To Be Determined	China	Price: \$0.08 - Cardboard Box Eco - Colin- B1 n/a Price: \$0.3	Price: \$0.08 - Cardboard Box Eco - Colin- B1 n/a Price: \$0.3	Price: \$0.08 - Cardboard Box Eco - Colin- B1 n/a Price: \$0.3
12	All and a second	Lop Fastener - Colin CODE: F1 Placement: Lop fastener for hangtag on CB neck Notes: N/A Status : In Development Content (Fiber Content): Plastic Finishes: N/A Dye Method: N/A Size: 2.5 in AM475 - Student Name: Colin Humphreys	1 /Pieces	To Be Determined	China	- Lop Fastener - Colin- F1 n/a Price: \$0.001	- Lop Fastener - Colin- F1 n/a Price: \$0.001	- Lop Fastener - Colin- F1 n/a Price: \$0.001
13	e Highert-ability Highert-ability Highert-ability	Care Label Colin CODE: L001 Placement: Canter back of the waistband Notes: N/A Status : In Development Content (Fiber Content): Polyester Finishes: N/A Dye Method: N/A Size: 3.5 x 10.5 cm	1 /Pieces	To Be Determined	China	- Care Label Colin- L001 n/a Price: \$0.01	- Care Label Colin- L001 n/a Price: \$0.01	- Care Label Colin- L001 n/a Price: \$0.01
14		Garment Tag - Colin CODE: T001 Placement: Center back of the waistband over the care label Notes: N/A Status : In Development Content (Fiber Content): Cloth Finishes: straight cut Dye Method: N/A Size: .5 x 1.5 in AM475 - Student Name: Colin Humphreys	1 /Pieces	To Be Determined	China	- Papyrus J Custom Code: 11- 0107 TCX Price: \$0.05	Pirate Black J Custom Code: 19- 4305 TCX Price: \$0.05	Emperador J Custom Code: 18- 1028 TCX Price: \$0.05
		Components 14				Total \$9.43	Total \$9.43	Total \$9.43










148f. Back Bottom Pocket Horizontal






Waistband Width, Stretched (Knit)







Leg Opening Width, Stretch (Knit)





Sample Size: M

POINT OF MEASURE	CODE	HOW TO MEASURE	CRITICAL	TYPE	TOLERANCE	XS	S	М	L	XL
Waistband Depth	81	Measure from top of waistband edge straight down to bottom of waistband at waistband joining seam. [Note: If waistband is contoured, indicate measurement change on spec sheet.]	false	Full	0 in	0 in	0 in	1 3/8 in	0 in	1/8 in
Inseam	105	Measure from crotch joining seam to bottom of leg opening, following inseam/inner fold	true	Half	3/8 in	-1/4 in	-1/4 in	31 in	1/4 in	1/4 in
Outseam	106	Measure from bottom edge of waistband/seam to bottom of garment along side seam/fold	true	Half	3/8 in	-1/4 in	-1/4 in	39 1/4 in	1/4 in	1/4 in
Front Rise	107	Measure from bottom edge of waistband/seam to crotch joining seam, following curve of front rise seam	false	Full	3/8 in	-3/4 in	-3/4 in	10 1/2 in	3/4 in	3/4 in
Back Rise	108	Measure from bottom edge of waistband/seam to crotch joining seam, following curve of back rise seam.	false	Full	3/8 in	-3/4 in	-3/4 in	14 3/4 in	3/4 in	3/4 in
Cuff Height Pants	119	Measure from top of cuff edge straight down to bottom of cuff fold fold and leg opening.	true	Half	0 in	0 in	0 in	1 in	0 in	1/8 in
Applied Pocket Width	126	Measure from side of pocket to side of pocket along top edge of pocket (Note: For contoured or irregularly shaped pockets, take a second measurement and indicate point of measure in spec sheet.)	true	Full	0 in	0 in	0 in	6 in	0 in	1/8 in
Pocket Opening Within a Seam	127	Measure from top of pocket to bottom along edge of pocket opening	true	Full	0 in	0 in	0 in	5 1/2 in	0 in	0 in
Back Bottom Pocket Vertical	148E	Measure from waistband/joining seam/edge straight down to top edge of pocket.	false	Full	0 in	0 in	0 in	2 1/2 in	0 in	1/8 in
Back Bottom Pocket Horizontal	148F	Measure from center back straight across to side pocket at top edge.	false	Full	0 in	0 in	0 in	2 1/8 in	0 in	1/8 in
Knee Guard Height	CH4	Knee reinforcement length from bottom seam to top seam on the underside of the fabric	true	Full	1/8 in	-1/4 in	-1/4 in	11 in	1/4 in	1/4 in
Knee Guard Width	CH5	Width of knee reinforcement from edge to edge of the ripstop fabric	true	Full	1/8 in	-1/2 in	-1/2 in	8 1/2 in	1 in	1 in
Applied Pocket Height	125	Measure from top pocket edge down to bottom pocket edge.	true	Full	0 in	0 in	0 in	6 in	0 in	1/8 in
Pocket Opening	010		true	Full	0 in	0 in	0 in	6 1/4 in	0 in	1/4 in
Waistband Width (knit)	82	Measure from side of bottom band to side of bottom band along center of band, following natural contour of waistband.	false	Half	1/2 in	-2 in	-2 in	15 3/4 in	2 in	2 in
Waistband Width, Stretched (knit)	84	Measure from side of bottom band to side of bottom band straight across center of band in a fully extended position.	false	Half	3/8 in	-1/2 in	-1/2 in	19 in	1/2 in	1/2 in
Thigh Width (knit)	109	Measure from pant leg edge/seam to pant leg edge/seam straight across pant leg @ 1" below crotch and parallel to leg opening	false	Half	1/4 in	-1/2 in	-1/2 in	13 in	1/2 in	1/2 in
Knee Width (knit)	111	Measure from pant leg edge/seam to pant leg edge/seam @ a point 1/2 of the inseam and parallel to leg opening	false	Half	1/4 in	-1/2 in	-1/2 in	9 1/2 in	1 in	1 in
Leg Opening Width, Stretch (Knit)	117	Measure from pant leg edge/seam to pant leg edge/seam straight across bottom edge of leg opening in a fully extended position.	true	Half	0 in	-1/4 in	-1/4 in	8 in	3/8 in	3/8 in
Side Zipper Length	Ch005	Measure from top of the zipper on the outseam to the bottom of the zipper	true	Full	3/8 in	-1/4 in	-1/4 in	34 in	1/4 in	1/4 in



Leg Opening Width (Knit)	113	Measure from pant leg edge/seam to pant leg edge/seam straight across bottom edge of leg opening. (Note: If leg opening is contoured, follow contour and indicate measurement change on spec sheet.)	true	Half	1/8 in	-1/4 in	-1/4 in	6 1/4 in	1/2 in	1/2 in
Vented Leg Opening (knit)	115	Measure from pant leg edge/seam to pant edge/seam straight across pant leg at top of side vents	true	Half	1/4 in	-1/4 in	-1/4 in	7 in	3/8 in	3/8 in
Knee Guard Placement Vertical	CH-1	Measure from bottom of waistband to top of the knee guard seam	true	Full	1/8 in	0 in	0 in	16 in	0 in	0 in
Horizontal Knee Guard Placement	CH-2	Measure from inseam to closest edge of the knee guard	true	Full	1/8 in	0 in	0 in	1 in	0 in	0 in



Sample Size: M

POINT OF MEASURE	CODE	HOW TO MEASURE	CRITICAL	TYPE	TOLERANCE	XS	S	М	L	XL
Waistband Depth	81	Measure from top of waistband edge straight down to bottom of waistband at waistband joining seam. [Note: If waistband is contoured, indicate measurement change on spec sheet.]	false	Full	0 in	1 3/8 in	1 3/8 in	1 3/8 in	1 3/8 in	1 1/2 in
Inseam	105	Measure from crotch joining seam to bottom of leg opening, following inseam/inner fold	true	Half	3/8 in	30 1/2 in	30 3/4 in	31 in	31 1/4 in	31 1/2 in
Outseam	106	Measure from bottom edge of waistband/seam to bottom of garment along side seam/fold	true	Half	3/8 in	38 3/4 in	39 in	39 1/4 in	39 1/2 in	39 3/4 in
Front Rise	107	Measure from bottom edge of waistband/seam to crotch joining seam, following curve of front rise seam	false	Full	3/8 in	9 in	9 3/4 in	10 1/2 in	11 1/4 in	12 in
Back Rise	108	Measure from bottom edge of waistband/seam to crotch joining seam, following curve of back rise seam.	false	Full	3/8 in	13 1/4 in	14 in	14 3/4 in	15 1/2 in	16 1/4 in
Cuff Height Pants	119	Measure from top of cuff edge straight down to bottom of cuff fold fold and leg opening.	true	Half	0 in	1 1/8 in				
Applied Pocket Width	126	Measure from side of pocket to side of pocket along top edge of pocket (Note: For contoured or irregularly shaped pockets, take a second measurement and indicate point of measure in spec sheet.)	true	Full	0 in	6 1/8 in				
Pocket Opening Within a Seam	127	Measure from top of pocket to bottom along edge of pocket opening	true	Full	0 in	5 1/2 in	5 1/2 in	5 1/2 in	5 1/2 in	5 1/2 in
Back Bottom Pocket Vertical	148E	Measure from waistband/joining seam/edge straight down to top edge of pocket.	false	Full	0 in	2 1/2 in	2 1/2 in	2 1/2 in	2 1/2 in	2 5/8 in
Back Bottom Pocket Horizontal	148F	Measure from center back straight across to side pocket at top edge.	false	Full	0 in	2 1/8 in	2 1/8 in	2 1/8 in	2 1/8 in	2 1/4 in
Knee Guard Height	CH4	Knee reinforcement length from bottom seam to top seam on the underside of the fabric	true	Full	1/8 in	10 1/2 in	10 3/4 in	11 in	11 1/4 in	11 1/2 in
Knee Guard Width	CH5	Width of knee reinforcement from edge to edge of the ripstop fabric	true	Full	1/8 in	7 1/2 in	8 in	8 1/2 in	9 1/2 in	10 1/2 in
Applied Pocket Height	125	Measure from top pocket edge down to bottom pocket edge.	true	Full	0 in	6 1/8 in				
Pocket Opening	010		true	Full	0 in	6 1/4 in	6 1/4 in	6 1/4 in	6 1/4 in	6 1/2 in
Waistband Width (knit)	82	Measure from side of bottom band to side of bottom band along center of band, following natural contour of waistband.	false	Half	1/2 in	11 3/4 in	13 3/4 in	15 3/4 in	17 3/4 in	19 3/4 in
Waistband Width, Stretched (knit)	84	Measure from side of bottom band to side of bottom band straight across center of band in a fully extended position.	false	Half	3/8 in	18 in	18 1/2 in	19 in	19 1/2 in	20 in
Thigh Width (knit)	109	Measure from pant leg edge/seam to pant leg edge/seam straight across pant leg @ 1" below crotch and parallel to leg opening	false	Half	1/4 in	12 in	12 1/2 in	13 in	13 1/2 in	14 in
Knee Width (knit)	111	Measure from pant leg edge/seam to pant leg edge/seam @ a point 1/2 of the inseam and parallel to leg opening	false	Half	1/4 in	8 1/2 in	9 in	9 1/2 in	10 1/2 in	11 1/2 in



Leg Opening Width, Stretch (Knit)	117	Measure from pant leg edge/seam to pant leg edge/seam straight across bottom edge of leg opening in a fully extended position.	true	Half	0 in	7 1/2 in	7 3/4 in	8 in	8 3/8 in	8 3/4 in
Side Zipper Length	Ch005	Measure from top of the zipper on the outseam to the bottom of the zipper	true	Full	3/8 in	33 1/2 in	33 3/4 in	34 in	34 1/4 in	34 1/2 in
Leg Opening Width (Knit)	113	Measure from pant leg edge/seam to pant leg edge/seam straight across bottom edge of leg opening. (Note: If leg opening is contoured, follow contour and indicate measurement change on spec sheet.)	true	Half	1/8 in	5 3/4 in	6 in	6 1/4 in	6 3/4 in	7 1/4 in
Vented Leg Opening (knit)	115	Measure from pant leg edge/seam to pant edge/seam straight across pant leg at top of side vents	true	Half	1/4 in	6 1/2 in	6 3/4 in	7 in	7 3/8 in	7 3/4 in
Knee Guard Placement Vertical	CH-1	Measure from bottom of waistband to top of the knee guard seam	true	Full	1/8 in	16 in	16 in	16 in	16 in	16 in
Horizontal Knee Guard Placement	CH-2	Measure from inseam to closest edge of the knee guard	true	Full	1/8 in	1 in	1 in	1 in	1 in	1 in